

General Information

Extended Product Type:	S283-C80
Product ID:	GHS2830001R0804
EAN:	8012542500506
Catalog Description:	Miniature Circuit Breakers MCBs - S280
Long Description:	S280 miniature circuit breakers are current limiting. They have two different tripping mechanisms, the delayed thermal tripping mechanism for overload protection and the electromechanic tripping mechanism for short circuit protection. They are available in one module width, different characteristics (B,C), configurations (1P,2P,3P,4P), breaking capacities (up to 6 kA at 230/400 V AC) and rated currents (up to 100A). All MCBs of the product range S280 comply with IEC/EN 60898-1 and IEC/EN 60947-2, allowing the use for residential, commercial and industrial applications.

Categories

Products » Low Voltage Products and Systems » Modular DIN Rail Products » Miniature Circuit Breakers MCBs

Ordering

EAN:	8012542500506
Minimum Order Quantity:	1 piece
Customs Tariff Number:	85362090

Dimensions

Product Net Width:	52.5 mm
Product Net Depth:	69.0 mm
Product Net Height:	90.0 mm
Product Net Weight:	0.400 kg

Container Information

Package Level 1 Units:	2 piece
Package Level 1 Width:	112.0 mm
Package Level 1 Length:	114.0 mm
Package Level 1 Height:	80.0 mm
Package Level 1 Gross Weight:	0.830 kg
Package Level 1 EAN:	8012542500513

Certificates and Declarations (Document Number)

Declaration of Conformity - CE:	2CDK040500R0002
--	---------------------------------

Classifications

ETIM 4.0:	EC000042 - Miniature circuit breaker (MCB)
ETIM 5.0:	EC000042 - Miniature circuit breaker (MCB)

