



MASTER SON-T PIA Plus

MASTER SON-T PIA Plus 150W E40 1SL/12

High Pressure Sodium lamp with clear tubular outer bulb, high output and long reliable lifetime

Warnings and Safety

- · Control gear must include end-of-life protection (IEC60662, IEC 62035)
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data

General Information					
Flux measurement reference	Sphere				
Operating Position	UNIVERSAL [Any or Universal (U)]				
Cap-Base	E40 [E40]				
Light Technical					
Color Code	220 [CCT of 2000K]				
Luminous Flux	17,800 lumen				
Chromaticity Coordinate X (Nom)	0.535				
Chromaticity Coordinate Y (Nom)	0.42				
Correlated Color Temperature (Nom)	2000 K				
Luminous Efficacy (rated) (Nom)	115 lm/W				
Color rendering index (CRI)	-				
Operating and Electrical					
Power Consumption	155.0 W				
Voltage (Nom)	100 V				

Voltage (Nom)	100 V
Controls and Dimming	
Dimmable	Yes
Mechanical and Housing	
Bulb Finish	Clear
Bulb Shape	T46 [T 46mm]
Approval and Application	
Energy Efficiency Class	F
Mercury (Hg) Content (Max)	15.1 mg
Mercury (Hg) Content (Nom)	13.9 mg
Energy Consumption kWh/1000 h	155 kWh
EPREL Registration Number	473290


Datasheet, 2023, April 16 data subject to change

MASTER SON-T PIA Plus

Product Data	
Full product code	871829118073900
Order product name	MST SON-T PIA Plus 150W E40 1SL/12
Order code	18073900
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	12


Material number (12NC)	928483400095			
Full product name	MASTER SON-T PIA Plus 150W E40 1SL/12			
EAN/UPC - Case	8718291180746			


Dimensional drawing




Product	D (max)	0	L	C (max)
MST SON-T PIA Plus 150W E40 1SL/12	47 mm	61 mm	132 mm	209 mm

Photometric data









Light Distribution Diagram - MST SON-T PIA Plus 150W E40 1SL/12

Spectral Power Distribution Colour - MST SON-T PIA Plus 150W E40 1SL/12

Lifetime







Lumen Maintenance Diagram

MASTER SON-T PIA Plus



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.