



CorePro GLASS LED candles and lusters



CorePro LEDLusterND4.3-40W E27 827P45CLG

Featuring a classic heritage design, these filament LED candle combines the familiar shapes of classic incandescent bulbs with the benefits of long-lasting LED technology. The LED candle bulb, a very easy choice for people who are looking for a retrofit LED replacement, the LED candle provides 90% energy savings compared with conventional lamps. CorePro Glass LED bulbs provide excellent quality of light for stairway lighting. The LED candle bulb offers a lifetime of 15,000 hours to reduce maintenance costs.

Product data

General Information		
Lighting Technology	LED	
Flux measurement reference	Sphere	
Switching Cycle	20,000	
Nominal lifetime	15,000 hour(s)	
Cap-Base	E27 [E27]	
Light Technical		
Color Code	827 [CCT of 2700K]	
Luminous Flux	470 lumen	
Color Designation	Warm White (WW)	
Correlated Color Temperature (Nom)	2700 K	
Luminous Efficacy (rated) (Nom)	109.00 lm/W	
Color Consistency	<6	
Color rendering index (CRI)	80	
LLMF At End Of Nominal Lifetime (Nom) 70 %		
Flickering value (PstLM)	1	

Stroboscopic effect value (SVM)	0.4
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	4.3 W
Lamp Current (Nom)	40 mA
Wattage Equivalent	40 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.41
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	45 °C


Datasheet, 2023, July 6 data subject to change

CorePro GLASS LED candles and lusters

Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Clear
Bulb Shape	P45 [P 45mm]
Approval and Application	
Energy Efficiency Class	F
Energy Consumption kWh/1000 h	5 kWh
EPREL Registration Number	387410
CE mark	Yes
EU RoHS compliant	Yes


Product Data		
Full product code	871951434732800	
Order product name	CorePro LEDLusterND4.3-40W E27	
	827P45CLG	
Order code	929001890592	
Numerator - Quantity Per Pack	1	
Numerator - Packs per outer box	10	
Material number (12NC)	929001890592	
Full product name	CorePro LEDLusterND4.3-40W E27	
	827P45CLG	
EAN/UPC - Case	8719514347335	


Dimensional drawing



Product	D	С
CorePro LEDLusterND4.3-40W E27 827P45CLG	45 mm	82 mm

Photometric data






Spectral Power Distribution Colour - CorePro LEDLusterND4.3-40W E27 827P45CLG

Light Distribution Diagram - CorePro LEDLusterND4.3-40W E27 827P45CLG


CorePro GLASS LED candles and lusters


Photometric data



General uniform lighting - CorePro LEDLusterND4.3-40W E27 827P45CLG

Lifetime





Life Expectancy Diagram - CorePro LEDLusterND4.3-40W E27 827P45CLG

Lumen Maintenance Diagram - CorePro LEDLusterND4.3-40W E27 827P45CLG



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.