



# **MASTER CityWhite CDO-ET**

# MASTER CityWh CDO-ET Plus 150W/828 E40

Ceramic metal halide lamp, with opalized ovoid outer bulb shape, used in outdoor offering pleasant white light

#### **Warnings and Safety**

- Use only in totally enclosed luminaire, even during testing (IEC61167, IEC 62035, IEC60598)
- The luminaire must be able to contain hot lamp parts if the lamp ruptures
- $\cdot$  Lamps may use electronic or electromagnetic control gear
- · Control gear must include end-of-life protection (IEC61167, IEC 62035)

#### **Product data**

General Information		
Cap-Base	E40 [E40]	
Operating Position	UNIVERSAL [Any or Universal (U)]	
Flux measurement reference	Sphere	
Life to 50% Failures (Nom)	27,000 hour(s)	
Light Technical		
Color Code	828 [CCT of 2800K]	
Luminous Flux	15,400 lm	
Color Designation	Warm White (WW)	
Chromaticity Coordinate X (Nom)	0.447	
Chromaticity Coordinate Y (Nom)	0.4	
Correlated Color Temperature (Nom)	2800 K	
Luminous Efficacy (rated) (Nom)	108 lm/W	
Color rendering index (CRI)	85	

Operating and Electrical	
Power Consumption	143.0 W
Voltage (Nom)	89 V
Voltage (Nom)	89 V
Controls and Dimming	
Dimmable	Yes
Mechanical and Housing	
Bulb Finish	Coated glass
Bulb Shape	BD90 [BD 90mm]
Approval and Application	
Energy Efficiency Class	F
Mercury (Hg) Content (Max)	15.8 mg
Mercury (Hg) Content (Nom)	15.8 mg
Energy Consumption kWh/1000 h	143 kWh


Datasheet, 2023, April 15 data subject to change

# **MASTER CityWhite CDO-ET**

<b>EPREL Registration Number</b>	473400		
Product Data			
Order product name	MASTER CityWh CDO-ET Plus 150W/828 E40		
Full product name	MASTER CityWh CDO-ET Plus 150W/828 E40		
Full product code	871829115881300		
Order code	928154908835		


Material Nr. (12NC)	928154908835
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8718291158813
Numerator - Packs per outer box	12
EAN/UPC - Case	8718291158820


## Dimensional drawing




Product	D (max)	C (max)
MASTER CityWh CDO-ET Plus 150W/828 E40	91 mm	227 mm

## Photometric data









Light Distribution Diagram - MASTER CityWh CDO-ET Plus 150W/828 E40

Spectral Power Distribution Colour - MASTER CityWh CDO-ET Plus 150W/828 E40

# **MASTER CityWhite CDO-ET**

#### Lifetime





Life Expectancy Diagram - MASTER CityWh CDO-ET Plus 150W/828 E40

Lumen Maintenance Diagram - MASTER CityWh CDO-ET Plus 150W/828 E40

